

## INTRODUCTION

Elements is an open concept workstation series comprised primarily of work-surfaces, beams and legs. Elements can be broken down into three different sub-series, each of which has their own nuances.

- Elements Classic
- Elements Plus
- Elements Benching

### A. ELEMENTS CLASSIC

Elements Classic is a workstation series comprising of four different component types:

- PLT Worksurfaces
- Legs
- Desk Beams
- Connectors – for use with returns and bridges



#### 1. Choose Your Worksurface

Desks are available in 48, 60 and 72 inch lengths. Returns, which can be used as bridges, are available in 36, 48, 60 and 72 inch lengths. Both desks and returns are available in 24 and 30 inch widths, except the 30" x 36" which is not available.

#### 2. Choose Your Legs

- A-Legs – can be used on 24 or 30 inch tops (PLTALEG 2430CHM)
- 24" U-Leg – for use with 24" top (PLTLEG-U-24)
- 30" U-Leg – for use with 30" top (PLTLEG-U-30)
- 36" U-Leg – for use with PLT247236 curved tops; see below (PLTLEG-U-36)

#### 3. Choose Your Desk Beams

The length of the desk worksurface beam is the same as the worksurface. For example, a 72" long worksurface will use a 72" beam.

- 48" Beam (PLT-MAINDESKBEAM-48)
- 60" Beam (PLT-MAINDESKBEAM-60)
- 72" Beam (PLT-MAINDESKBEAM-72)

#### 4. Choose Your Connector

- Return Connectors (PLT-RETSUPPORT)
  - Connects any return to a desk.
  
- Bridge Connectors (PLT-USUPPORT)
  - Connects a bridge to two desks.

#### 5. Do I Need A Stiffener?

Stiffener is recommended for returns 48 inches and longer.

- PLT60MS – 2 stiffeners per package (48”L).
- PLT72MS – 2 stiffeners per package (60”L).

#### 6. Choose Your Storage

Elements Classic does not have its own storage but uses other Performance brand storage. The most common storage types used are:

- PL 1007 Mobile Laminate B/F Pedestal
- Steelwise Mobile Pedestal
- PL208 Wall Mounted Hutches
- Elements Hutches (see #5 under “Elements Plus”)

#### Note: Radiused Corner Workstations

Radiused corner workstations are built using a PLT723624 worksurface. Because of the “pork-chop” style, one must use two 24” U-Leg and a 36” U-Leg. The return, which is usually a PLT3624, is connected with a return connector (PLT-RETSUPPORT).



## B. ELEMENTS PLUS WORKSTATIONS

Elements Plus combines storage solutions with the open desk architecture with the Elements Classic Collection. Elements Plus includes the following component types:

- On floor storage
- Desk
- Legs
- Risers
- Optional hutch



### 1. Choose Your On Floor Storage

All Elements Plus workstations comprise on floor storage. Nearly every application will use this configuration:

- 35½" Lateral Storage (PL1012)
- 35½" Open Storage (PL1013)
- 35½" Storage Top (PL109)
- To be used on freestanding Lateral Storage (PL1012) or Open Storage (PL1013)
- 71" Storage Top to be placed upon the above units (PL110)

### 2. Choose Your Desk Worksurface

Choose any of the desk worksurfaces used in the Elements Collection.

### 3. Choose Your Leg

Usually only one leg is used per workstation.

- A-Legs – can be used on 24 or 30 inch tops (PLTALEG 2430CHM)
- 24" U-Leg – for use with 24" top (PLTLEG-U-24)
- 30" U-Leg – for use with 30" top (PLTLEG-U-30)

### 4. Choose Your Riser

A riser acts like a leg, connecting the worksurface to the on floor storage. The width of the riser must match the width of the worksurface. Usually only one riser is used per workstation.

- 24" wide Desk Riser (PLTLP-24DR)
- 30" wide Desk Riser (PLTLP-30DR)

### 5. Optional Hutches

- Choose your hutch.
- All hutches are 71" wide (PL1044)
- Choose your hutch riser.
- 27" Riser (PLTLPHS-27)
- 20" Riser (PLTLPHS-2)
- 14" Riser (PLTLPHS-14)
- Choose your hutch doors.
- Pair of Laminate Doors (44LD)
- Pair of Frosted Glass Doors (44SGD)

## C. ELEMENTS BENCHING

Benching refers to a series of connected worksurfaces which are often used in customer service centres or call centres. Elements Benching comprises of the following components:

- Desk Worksurfaces
- Legs
- Beams
- Connector Beam Brackets
- Centre Leg Support



### 1. Choose Your Worksurface

### 2. Choose Your Legs

- 48" U-Leg (PLTLEG-U-48)
- 60" U-Leg (PLTLEG-U-60)

### 3. Choose Your Beams

Usually only one leg is used per workstation.

- 48" Beam (PLT-MAINDESKBEAM-48)
- 60" Beam (PLT-MAINDESKBEAM-60)
- 72" Beam (PLT-MAINDESKBEAM-72)

### 4. Order Connector Beam Brackets.

To connect 48" or 60" legs to a main beam, you need to order a PLTCBBSILVER.

- One PLTCBBSILVER needs to be ordered per outside leg.
- Two PLTCBBSILVER needs to be ordered for inside legs.

### 5. Optional Hutches

Benching runs which have more than two worksurfaces in a row should have a center leg support on each set of center legs. This leg support adds stability and rigidity to the bench.

- Center Leg Support – contains two legs (PLTLEG-U-CSL).

### 6. Choose Your Storage

Elements Benching does not have its own storage but uses other Performance brand storage. The most common storage types used are:

- PL 1007 Mobile Laminate B/F Pedestal
- Steelwise Mobile Pedestal
- PL208 Wall Mounted Hutches
- PL1044 Open Hutch

## D. ACCESSORIZE YOUR WORKSTATION

- Modesty and Divider Panels
- Electrical Tray Options
- Storage Options
- Other Accessories

### 1. Modesty and Divider Panels

Choose either:

13" High Acrylic Panels – can be mounted above or below worksurface.

- Worksurface mounting hardware is not included:
  - 24" wide (PLTAP1324)
  - 42" wide (PLTAP1342)
  - 54" wide (PLTAP1354)
  - 66" wide (PLTAP1366)
- Mounting hardware options are:
  - Pair of Desk Mount Brackets - when using the panel as a divider and when attaching to the top of the desk (PLTAPDMSET).
  - Pair of Under the Worksurface Brackets – when using the panel as either a modesty panel or divider (PLTAPUTM).

24" High Acrylic Modesty Panels

- This panel is both a divider and a modesty panel
- Mounting hardware is included
  - 42" wide (PLTPSA4224)
  - 54" wide (PLTPSA5424)
  - 66" wide (PLTPSA6624)

### 2. Electrical Tray Options

- 18" Power Through with Cover - for use with ECA power blocks and data plates (PLTPC18BLACK).
- 24" Single Mesh Wire Tray in Black (PLTWT SINGLE24BLACK)
- 24" Double Mesh Wire Tray in Black (PLTWT DOUBLE24BLACK)

### 3. Storage Options

Under the worksurface:

- Laminate Mobile Pedestal (PL1007)
- Steel Mobile Pedestal (CPSBBF)
- Casters optional

Adjacent to worksurface:

- Stack on Storage Unit (1052/166)
- Stack on Bookshelf Unit (1053/166)
- Performance Classic Storage Cabinet

### 4. Other Accessories

- Cushion for PL1007 Mobile Pedestal (PLCUSH07)
- Cushion for 1012 and 1013 Laminate File (PLCUSH12)

## E. OTHER THINGS TO CONSIDER

### Hutches

Height to the top of Hutch when sitting on:

	<b>PL1012 Storage</b>	<b>Desk</b>
27" Support	65 1/4"	72 3/4"
20" Support	58 1/4"	65 3/4"
14" Support	52 1/4"	59 3/4"

### A Legs

A legs can be substituted for U legs when using a 24" or 30" wide top. However, A legs will not match desk risers or hutch supports. Please be aware of this when quoting customers.

### Colors

Elements is available in Espresso, Modern Walnut and White.

